

Navedene cijene su maloprodajne (PDV uključen)

Mini Audio Cables (Available lengths: 1m, 2m, 3m, 5m, 8m, 12m)

MPC / kn

Mini-A	Solid LGC, Direct-Gold Plated, Black PVC with gray stripe	150,00/1m	180,00/2m	215,00/3m
Mini-1	Solid LGC, Direct-Gold Plated, Silver with white braid	240,00/1m	300,00/2m	360,00/3m
Mini-3	Solid PSC, Direct-Gold Plated, Silver with gray braid	420,00/1m	540,00/2m	670,00/3m
Mini-5	Solid PSC+, Direct-Gold Plated, Silver with black braid	820,00/1m	1.060,00/2m	1.280,00/3m
Mini-7	Solid PSC+, Direct-Gold Plated, Black braid, 48V DBS	1.940,00/1m	2.340,00/2m	2.740,00/3m

Subwoofer Cables (Available lengths: 2m, 3m, 4.5m, 6m, 7.5m, 12m, 15m)

Sub-A	Symmetrical Coax, Solid LGC, 22 AWG, PVC, Black PVC, RCA	190,00/2m	220,00/3m	270,00/4.5m
Sub-X	Symmetrical Coax, Solid 1.25% silver, 22 AWG, Foamed PE, Black/gray/red braid, RCA	380,00/2m	440,00/3m	520,00/4.5m
Sub-1	Triple Balanced, Solid 2.5% silver, 21 AWG, PE Air-Tubes, Blue/black/red braid, Cold-Welded Direct-Silver Plated RCA or XLR	750,00/2m	850,00/3m	990,00/4.5m
Sub-3	Triple Balanced, Solid 6.1% silver, 21 AWG, PE Air-Tubes, Black/blue/ green/red braid, Cold-Welded Direct-Silver Plated RCA or XLR, 48V DBS	1.540,00/2m	1.750,00/3m	2.080,00/4.5m

Splitters & Accessories

FLX-Mini Splitter	Male stereo 3.5 mm. <-> 2 x Female 3.5 mm., Solid PSC+, Silver/White braid, Length:15 cm. (6 in.)	90,00/each
FLX-Mini RCA Adaptor	Male stereo 3.5 mm. <-> 2 x Female RCA, Solid PSC+, Silver/White braid, Length:15 cm. (6 in.)	90,00/each
Hard Mini RCA Adaptor	Male stereo 3.5 mm. <-> 2 x Female RCA	80,00/each
Hard RCA Splitter	Male RCA <-> 2 Female RCA	80,00/each
FLX-X RCA Splitter	Male RCA <-> 2 Female RCA, Solid LGC, Length: 15cm. (6")	120,00/each
FLX-X RCA Splitter	Female RCA <-> 2 Male RCA, Solid LGC, Length: 15cm. (6")	120,00/each
RCA <-> RCA Coupler	Female RCA to Female RCA	40,00/each
M21-F90	90° RCA Adaptor - Female RCA to Right-Angle Male RCA	40,00/each

Analogue Audio Interconnect Cables (All other lengths available; 1.5m,2.0m,3.0m....)

pair/par

Alpha-Snake	Symmetrical Coax, Solid LGC, PVC, Black PVC, RCA	140,00/0.5m	150,00/0.75m	160,00/1.0m
G-Snake	Symmetrical Coax, Solid LGC, PVC, Blue/black braid, RCA	210,00/0.5m	225,00/0.75m	240,00/1.0m
Sidewinder	Identical +/- Conductors, Solid LGC, Foamed PE, Red/black braid, RCA	340,00/0.5m	365,00/0.75m	390,00/1.0m
Copperhead	Identical +/- Conductors, Solid PSC, Foamed PE, Green/black braid, RCA	490,00/0.5m	545,00/0.75m	600,00/1.0m
Diamondback	Triple Balanced, Solid PSC, PE Air-Tubes, Blue/black braid, Cold-Welded Direct-Silver plated RCA or XLR, 2 layer NDS	790,00/0.5m	870,00/0.75m	960,00/1.0m
King Cobra	Triple Balanced, Solid PSC+, PE Air-Tubes, Red/black braid, Cold-Welded Direct-Silver plated RCA or XLR, 2 layer NDS	1.140,00/0.5m	1.300,00/0.75m	1.460,00/1.0m

Uvoz i distribucija :

MEDIA AUDIO d.o.o., Gundulićeva 26a, 21000 SPLIT, tel: 021/323 550, fax: 021/315 220, e-mail: info@mediaaudio.hr, web: www.mediaaudio.hr

Maloprodaja: "DOBAR ZVUK" SPLIT, Gundulićeva 20, tel/fax 021/380 117 "DOBAR ZVUK" ZAGREB, Preradovića 8, tel/fax 01/485 42 97

Analogue Audio Interconnect Cables with DBS (All other lengths available; 1.5m,2.0m,3.0m....)				MPC / kn
				pair/par
Columbia	Triple Balanced, Solid PSC+, PE Air-Tubes, Green/gray/black braid, Cold-Welded Direct-Silver plated Ohno Continuous Casting Copper (OCC) RCA or XLR, 3 layer NDS, 72V DBS	2.480,00/0.5m	2.730,00/0.75m	2.980,00/1.0m
Colorado	Triple Balanced, Solid PSC+, Teflon Air-Tubes, Red/gray/black braid, Cold-Welded Direct-Silver plated Ohno Continuous Casting Copper (OCC) RCA or XLR, 3 layer NDS, 72V DBS	4.480,00/0.5m	5.030,00/0.75m	5.580,00/1.0m
Niagara	Triple Balanced, Solid PSS, Teflon Air-Tubes, Black/gray braid, Cold-Welded Direct-Silver plated Ohno Continuous Casting Copper (OCC) RCA or XLR, 3 layer NDS, 72V DBS	7.880,00/0.5m	9.230,00/0.75m	10.580,00/1.0m
Sky	Triple Balanced, Solid PSS silver, Teflon Air-Tubes (50% larger than Niagara), Blue/black braid, Cold-Welded Direct-Silver plated Ohno Continuous Casting Copper (OCC) RCA or XLR, 5 layer NDS, 72V DBS	12.480,00/0.5m	14.730,00/0.75m	16.980,00/1.0m
Wild Blue Yonder	Triple Balanced, Solid PSS silver, Teflon Air-Tubes (32% larger than Sky), Dark blue polyester/dark blue nylon braid, Custom Machined Direct-Silver Plated Pure Copper Cold-Welded RCA or XLR, 7 layer NDS, 72V DBS	21.680,00/0.5m	24.680,00/0.75m	27.680,00/1.0m
WEL Signature	Triple Balanced, Solid PSS silver, Teflon Air-Tubes (62% larger than Sky), Black polyester/black nylon braid, Custom Machined Direct-Silver Plated Pure Copper Cold-Welded RCA or XLR, 7 layer NDS, 72V DBS	38.980,00/0.5m	42.980,00/0.75m	46.980,00/1.0m

Tonearm Cables

Wildcat	Solid PSC conductors, Silver/gray braided jacket, 5-pin JIS plug to 2 x RCA plugs + ground			540,00/1.5m
Cougar	Solid PSC+ conductors, Black braided jacket, 5-pin JIS plug to 2 x RCA plugs + ground			2.140,00/1.5m
LeoPard	Solid PSS silver conductors in Teflon Air-Tubes, Dark gray PVC jacket, Noise-Dissipation System, Right angled or straight machined-barrel 5-pin JIS plug to 2 x RCA plugs + ground. Also available with XLRs. Also available RCA to RCA. 48V DBS.		4.980,00/1.2m	6.480,00/2m
Wild LP	Solid PSS silver conductors in Teflon Air-Tubes, Blue PVC jacket w/blue stripes, Noise-Dissipation System, Right angled or straight machined-barrel 5-pin JIS plug to 2 x Wild RCA plugs + ground. Also available with XLRs. 72V DBS.		13.880,00/1.2m	16.480,00/2m
WEL Signature	Solid PSS silver conductors in Teflon Air-Tubes, Black PVC jacket w/silver stripes, Noise-Dissipation System, Right angled or straight machined-barrel 5-pin JIS plug to 2 x WEL Signature Series RCA plugs + ground. Also available with XLRs. 72V DBS.		23.780,00/1.2m	28.480,00/2m

Vinyl Accessories

Sorbothane SelfStick Sheet	6" x 6" x 0.10" sheet can be cut to size to damp anything			200,00/each
HL-5 Headshell Leads	Silk wrapped Linear-Crystal Copper litz conductors			200,00/set of 4
Record Brush	Contains more than 1,000,000 conductive carbon fibers for effective record cleaning. Works on LCD screens & keyboards			120,00/each

Uvoz i distribucija :

MEDIA AUDIO d.o.o., Gundulićeva 26a, 21000 SPLIT, tel: 021/323 550, fax: 021/315 220, e-mail: info@mediaaudio.hr, web: www.mediaaudio.hr

75-ohm Digital Audio Cables (Available lengths: 1m, 1.5m, 2m, 3m, 4.5m, 6m, 7.5m, 9m, 12m, 15m, 20m)

MPC / kn

VDM-A	75Ω Coax, 1.25% Silver, 26 AWG, Hard-Cell Foam, Foil+Tinned braid shield, Black PVC, RCA	130,00/1m	150,00/1.5m	165,00/2m
VDM-X	75Ω Coax, 1.25% Silver, 24 AWG, Hard-Cell Foam, Foil+Silver-Plated braid shield, Multi-color braid, RCA	230,00/1m	260,00/1.5m	290,00/2m
VDM-1	75Ω Coax, 2.5% Silver, 24 AWG, Hard-Cell Foam, Foil+Silver-Plated braid shield, Multi-color braid, RCA	430,00/1m	490,00/1.5m	550,00/2m
VDM-3	75Ω Coax, 6.1% Silver, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated braid shield, Multi-color braid, RCA or BNC, NDS	830,00/1m	960,00/1.5m	1.090,00/2m
VDM-5	75Ω Coax, 100% PSS Silver, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated braid shield, Black/silver braid, RCA or BNC, NDS	1.480,00/1m	1.820,00/1.5m	2.160,00/2m
Hawk Eye	75Ω Coax, 100% PSS Silver, 24 AWG, Hard-Cell Foam, 100% coverage (Copper Foil/Silver-Plated Spiral), Black/silver braid, RCA or BNC, 3 layer NDS, 48V DBS	2.280,00/1m	2.680,00/1.5m	3.080,00/2m
Eagle Eye	75Ω Coax, 100% PSS Silver, 21 AWG, Hard-Cell Foam, 100% coverage (Copper Foil/Silver-Plated Spiral), Black/red braid, RCA or BNC, 3 layer NDS, 72V DBS	4.980,00/1m	5.980,00/1.5m	6.980,00/2m
Wild Digital	75Ω Coax, 100% PSS Silver, 21 AWG, Hard-Cell Foam, 100% coverage (Copper Foil/100% PSS Silver Spiral), Dk. blue poly/dk. blue nylon braid, Custom Machined Direct-Silver Plated Pure Copper Cold-Welded RCA, 5 layer NDS, 72V DBS	13.880,00/1m	15.880,00/1.5m	17.880,00/2m
WEL Signature	75Ω Coax, 100% PSS Silver, 21 AWG, Hard-Cell Foam, 100% coverage (Copper Foil/100% PSS Silver Spiral), Black poly/ black nylon braid, Custom Machined Direct-Silver Plated Pure Copper Cold-Welded RCA, 5 layer NDS, 72V DBS	23.780,00/1m	27.780,00/1.5m	31.780,00/2m

110-ohm (AES/EBU) Balanced Digital Audio Cables (Other lengths available)

Falcon	100Ω Triple Balanced, Solid 1.25% Silver, 22 AWG, Hard-Cell 100% coverage (Silver-Plated Spiral), Black mesh over green Teflon, Direct-Silver Plated XLR	1.640,00/1m	1.980,00/1.5m	2.280,00/2m
Wild Digital	100Ω Triple Balanced, Solid 100% PSS Silver, 21 AWG, Hard-Cell 100% coverage (Copper Foil/Silver-Plated Spiral), Dk. blue poly/ Dk. blue nylon braid, XLR plugs machined from pure C11000 Electrolytic Copper billet, 7 layer NDS, 72V DBS	13.880,00/1m	15.880,00/1.5m	17.880,00/2m
WEL Signature	100Ω Triple Balanced, Solid 100% PSS Silver, 21 AWG, Hard-Cell 100% coverage (Copper Foil/Silver-Plated Spiral), Black poly/ black nylon braid, XLR plugs machined from pure C11000 Electrolytic Copper billet, 7 layer NDS, 72V DBS	23.780,00/1m	27.780,00/1.5m	31.780,00/2m

Toslink Optical Cables (Available lengths: 1m, 2m, 3m, 4.5m, 6m, 7.5m, 9m, 12m, 15m, 20m)

OptiLink-A	Synthetic Polymer conductor, Black PVC	170,00/1m	240,00/2m	350,00/3m
OptiLink-G	Synthetic -0.20 db/m, Green/red/black braid	300,00/1m	480,00/2m	640,00/3m
OptiLink-1	Synthetic -0.16 db/m, Black/blue braid	580,00/1m	840,00/2m	1.080,00/3m
OptiLink-3	Multi-Fiber, Black/red braid	1.480,00/1m	1.980,00/2m	2.480,00/3m
OptiLink-5	Multi-Quartz, Blue/black/gray braid	3.280,00/1m	4.180,00/2m	5.180,00/3m

Uvoz i distribucija :

MEDIA AUDIO d.o.o., Gundulićeva 26a, 21000 SPLIT, tel: 021/323 550, fax: 021/315 220, e-mail: info@mediaaudio.hr, web: www.mediaaudio.hr

Maloprodaja: "DOBAR ZVUK" SPLIT, Gundulićeva 20, tel/fax 021/380 117 "DOBAR ZVUK" ZAGREB, Preradovićeve 8, tel/fax 01/485 42 97

Antenna A & X Cables

MPC / kn

Antenna-A (Male <> Female)	Solid LGC, Hard-Cell Foam, Tinned Copper + Foil, Black PVC with gray stripes	150,00/1.5m	180,00/3m	210,00/4.5m
Antenna-X (Male <> Female)	Solid 6.1& silver, Hard-Cell Foam, Silver-Plated + Foil, Black/gray/red braid	200,00/1.5m	250,00/3m	300,00/4.5m

HDMI Cables (Available lengths vary by model - 0.6m to 10m High Speed w/Ethernet, 12m to 20m Standard Speed w/Ethernet > Tel !)

Pearl HDMI	Solid LGC, Solid polyethylene	160,00/1m	190,00/1.5m	220,00/2m
Forest HDMI	Solid LGC, Solid polyethylene (available in all lengths 0.6m - 20m)	260,00/1m	290,00/1.5m	320,00/2m
Cinnamon HDMI	Solid 1.25% Silver, Solid polyethylene	450,00/1m	510,00/1.5m	570,00/2m
Chocolate HDMI	Solid 2.5% Silver, Solid polyethylene, Braided jacket	650,00/1m	780,00/1.5m	920,00/2m
Carbon HDMI	Solid 5% Silver, Solid polyethylene, Direct-Silver contact	1.120,00/1m	1.320,00/1.5m	1.520,00/2m
Vodka HDMI	Solid 10% Silver, Solid polyethylene, Direct-Silver contact	1.920,00/1m	2.180,00/1.5m	2.440,00/2m
Coffee HDMI	Solid 10% Silver, Solid polyethylene, Direct-Silver contact, 72V DBS	3.280,00/1m	3.880,00/1.5m	4.480,00/2m
Diamond HDMI	Solid 100% PSS Silver, Solid polyethylene, Direct-Silver contact, 72V DBS	5.980,00/1m	7.280,00/1.5m	8.580,00/2m

HDMI and DVI Converters, Adaptors & Coupler

HDMI 90°/W	HDMI 90° adaptor, Wide Side [W], Right angle bend	140,00/each
HDMI 90°/N	HDMI 90° adaptor, Narrow Side [N], Right angle bend	140,00/each
HDMI 90° NU/R	HDMI 90° adaptor, Narrow Up [NU], Bends right	140,00/each
HDMI 90° NU/L	HDMI 90° adaptor, Narrow Up [NU], Bends left	140,00/each
HDMI C>A Adaptor	Mini [Type C] to Standard [Type A]	140,00/each
HDMI A>C Adaptor	Mini [Type A] to Standard [Type C]	140,00/each
HDMI Coupler	Female HDMI to Female HDMI	140,00/each
DVI-In > HDMI-Out	F-DVI to M-HDMI	180,00/each
HDMI-In > DVI-Out	F-HDMI to M-DVI	180,00/each

USB Cables (Available in Standard and Mini USB - 0.75m, 1.5m, 3m, 5m)

Forest USB	Solid LGC, Solid polyethylene, Black PVC with green stripes	170,00/0.75m	190,00/1.5m	260,00/3m
Cinnamon USB	Solid 1.25% Silver, Solid polyethylene, Red/black braid	330,00/0.75m	390,00/1.5m	520,00/3m
Carbon USB	Solid 5% Silver, Solid polyethylene, Direct-Silver contact, Dark/gray braid	720,00/0.75m	980,00/1.5m	1.440,00/3m
Coffee USB	Solid 10% Silver, Solid polyethylene, Direct-Silver contact, 72V DBS, Black/coffee braid	1.680,00/0.75m	2.140,00/1.5m	3.140,00/3m
Diamond USB	Solid 100% PSS Silver, Solid polyethylene, Direct-Silver contact, 72V DBS, Black poly/gray nylon braid	3.280,00/0.75m	4.280,00/1.5m	6.580,00/3m

Uvoz i distribucija za Hrvatsku i BiH:

MEDIA AUDIO d.o.o., Gundulićeva 26a, 21000 SPLIT, tel: 021/323 550, fax: 021/315 220, e-mail: info@mediaaudio.hr, web: www.mediaaudio.hr
Maloprodaja: "DOBAR ZVUK" SPLIT, Gundulićeva 20, tel/fax 021/380 117 "DOBAR ZVUK" ZAGREB, Preradovićeva 8, tel/fax 01/485 42 97

FireWire Cables (Available in 6-6 pin, 6-9 pin, 9-9 pin - 0.75m, 1.5m, 3m, 5m)

MPC / kn

Forest FireWire	Solid LGC, Solid polyethylene, Black PVC with green stripes	200,00/0.75m	250,00/1.5m	340,00/3m
Cinnamon FireWire	Solid 1.25% Silver, Solid polyethylene, Braided jacket	410,00/0.75m	490,00/1.5m	620,00/3m
Carbon FireWire	Solid 5% Silver, Solid polyethylene, Direct-Silver contact, Braided jacket	840,00/0.75m	1.100,00/1.5m	1.600,00/3m
Diamond FireWire	Solid 100% PSS Silver, Solid polyethylene, Direct-Silver contact, 72V DBS, Braided jacket	3.840,00/0.75m	4.860,00/1.5m	6.980,00/3m

Prepared Speaker Cables: 4-Series (Other lengths available)

Type 4	Star-Quad, Solid LGC, 15 AWG, Blue/black braid	1.180,00/2.0m.pr	1.280,00/2.5m.pr	1.380,00/3.0m.pr
GO-4	Star-Quad, Solid PSC+, 15 AWG, Coffee/black braid, 72V DBS	2.980,00/2.0m.pr	3.280,00/2.5m.pr	3.580,00/3.0m.pr
KE-4	Star-Quad, Solid PSS Silver, 15 AWG, Black poly/gray nylon braid, 72V DBS	15.480,00/2.0m.pr	18.680,00/2.5m.pr	21.880,00/3.0m.pr

Prepared Speaker Cables: Rocket Series

(Optimised for either Full-Range or Single Bi-Wire performance, other lengths available)

Rocket 33	Double Star-Quad, Solid 4 x PSC / 4 x LGC, 14 AWG, Black/gray braid	1.580,00/2.0m.pr	1.730,00/2.5m.pr	1.880,00/3.0m.pr
Rocket 44	Double Star-Quad, Solid 4 x PSC+ / 2 x PSC / 2 x LGC, 13 AWG, Silver/black/gray braid	2.180,00/2.0m.pr	2.430,00/2.5m.pr	2.680,00/3.0m.pr
Rocket 88	Double Star-Quad, Solid 6 x PSC+ / 2 x PSC, 13 AWG, Black/green/gray braid, 72V DBS	3.780,00/2.0m.pr	4.180,00/2.5m.pr	4.580,00/3.0m.pr

Prepared Speaker Cables: Flat Rock Series

(Optimised for either Full-Range or Single Bi-Wire performance, other lengths available)

Rockefeller	Double Star-Quad, Solid 6 X PSC+/2 X PSC, 12 AWG, Black/gray/red braid, 72V DBS	5.080,00/2.0m.pr	5.630,00/2.5m.pr	6.180,00/3.0m.pr
Gibraltar	Double Star-Quad, Solid PSC+, 12 AWG, Black/dark blue/light blue braid, 72V DBS	7.180,00/2.0m.pr	8.230,00/2.5m.pr	9.380,00/3.0m.pr
Comet	Double Star-Quad, Solid 2 X PSS/6 X PSC+, 12 AWG, Black/dk. gray/red braid, 72V DBS	12.400,00/2.0m.pr	14.750,00/2.5m.pr	17.100,00/3.0m.pr
Meteor	Double Star-Quad, Solid 4 X PSS/4 X PSC+, 12 AWG, Dk. gray/black nylon braid, 72V DBS	19.400,00/2.0m.pr	23.500,00/2.5m.pr	27.600,00/3.0m.pr
K2	Double Star-Quad, Solid PSS, 12 AWG, Black poly/gray nylon braid, 72V DBS	45.800,00/2.0m.pr	56.500,00/2.5m.pr	67.200,00/3.0m.pr

Prepared Speaker Cables: Double Counter-Spiral Series

(Optimised for either Full-Range or Single Bi-Wire performance, other lengths available)

Oak	Double Counter-Spiral, Solid PSC+, 9 AWG, Coffee poly/black nylon braid, 72V DBS	13.880,00/2.0m.pr	16.480,00/2.5m.pr	19.180,00/3.0m.pr
Redwood	Double Counter-Spiral, Solid 10 x PSC+/6 x PSS, 9 AWG, Dark red/black braid, 72V DBS	29.800,00/2.0m.pr	35.800,00/2.5m.pr	42.800,00/3.0m.pr
Wild Wood (Full Range)	Double Counter-Spiral, Solid 12 x PSS/4 x PSC+, 9 AWG, Dark blue poly/nylon braid, 72V DBS	64.800,00/2.0m.pr	77.800,00/2.5m.pr	90.800,00/3.0m.pr
Wild Wood (Single Bi-Wire)	Double Counter-Spiral, Solid 12 x PSS/4 x PSC+, 9 AWG, Dark blue poly/nylon braid, 72V DBS	68.800,00/2.0m.pr	81.800,00/2.5m.pr	94.800,00/3.0m.pr
WEL Signature (Full Range)	Double Counter-Spiral, Solid PSS silver, 9 AWG, Black poly/black nylon braid, 72V DBS	114.000,00/2.0m.p r	139.500,00/2.5m.p r	165.000,00/3.0m.p r
WEL Signature (Single Bi-Wire)	Double Counter-Spiral, Solid PSS silver, 9 AWG, Black poly/black nylon braid, 72V DBS	118.000,00/2.0m.p r	143.500,00/2.5m.p r	169.000,00/3.0m.p r

Unterminated Speaker Cables: Packaged and on Spools

MPC / kn

G2	Semi-Solid Concentric Packing, 16 AWG, Dark gray PVC or Off white PVC	19,00/m	/100m spool
X2	Semi-Solid Concentric Packing, 14 AWG, Dark gray PVC or Off white PVC	33,00/m	/100m spool
G4	Semi-Solid Concentric Packing, 15 AWG, Dark gray PVC or Off white PVC	33,00/m	/100m spool
FT-4	Solid LGC, 15 AWG, Dark gray PVC or Off white PVC	49,00/m	/100m spool
Type 2	Star-Quad, Solid LGC, 16 AWG, Dark gray or Off white PVC	62,00/m	/100m spool
Type 4	Star-Quad, Solid LGC, 15 AWG, Blue or Off white PVC or Blue/black braid	96,00/m	/100m spool
GO-4	Star-Quad, Solid PSC+, 15 AWG, Black PVC or Coffee/black braid	288,00/m	/50m spool
Rocket 33	Star-Quad, Solid 4 x PSC / 4 x LGC, Black with red stripes PVC or Black/gray braid	132,00/m	/100m spool
Rocket 44	Star-Quad, Solid 4 x PSC+ / 2 x PSC / 2 x LGC, Black with black stripes PVC or Silver/black/gray braid	264,00/m	/50m spool
Rocket 88	Star-Quad, Solid 6 x PSC+ / 2 x PSC, Black with green stripes PVC or Black/green/gray braid	396,00/m	/50m spool

SureGrip-BFA/Banana & Spades

SureGrip-BFA/Banana	Direct-Gold or Direct-Silver plated connectors, 1 wrench supplied with set of 4	50,00	/each	200,00	/set of 4
SureGrip-Spade	Direct-Gold or Direct-Silver plated connectors, 1 wrench supplied with set of 4	82,00	/each	328,00	/set of 4

BiWire Jumpers

BiWire Jumpers Copper (PSC+)	Direct-Gold or Direct-Silver plated connectors	760,00/set of 4 BFA>BFA	860,00/set of 4 BFA>SPADE	960,00/set of 4 SPADE>SPADE
BiWire Jumper Silver (PSS)	Direct-Gold or Direct-Silver plated connectors	1.940,00/set of 4 BFA>BFA	2.060,00/set of 4 BFA>SPADE	2.180,00/set of 4 SPADE>SPADE

AC Power Cables: 2 Pole Wall Plug to IEC-C7 Connector (Available lengths: 0.9m, 1.8m, 3m, 4.6m, 6.1m)

NRG-1	Star-Quad HyperLitz, Solid LGC, 2x16 AWG, Black/blue/gray braid, Cold-Welded connectors	490,00/0.9m	590,00/1.8m	720,00/3m
NRG-1.5	Star-Quad HyperLitz, SolidPSC+, 2x16 AWG, Black/gray/silver/red braid, Cold-Welded connectors	820,00/0.9m	1.120,00/1.8m	1.520,00/3m

AC Power Cables: X Series (Available lengths: 0.9m, 1.8m, 3m and in CI bags/5)

NRG-X2	Helical Array, Semi-Solid Concentric Packing, 2 x 15 AWG, Black/gray braid, 2 pole wall plug	380,00/0.9m	480,00/1.8m	620,00/3m
NRG-X3	Helical Array, Semi-Solid Concentric Packing, 3 x 15 AWG, Black/gray braid, 3 pole wall plug	5520,00/0.9m	670,00/1.8m	890,00/3m

AC Power Cables: 3 Pole Wall Plug to IEC-15amp Connector (Available lengths: 0.9m, 1.8m, 3m, 4.6m, 6.1m)

NRG-2	Counter-Spiral HyperLitz, Solid LGC, 3x13 AWG, Black/gray/green braid, Cold-Welded connectors	840,00/0.9m	1.240,00/1.8m	1.540,00/3m
NRG-4	Counter-Spiral HyperLitz, Solid PSC+/PSC, 3x13 AWG, Gray/black/blue braid, Cold-Welded connectors	1.680,00/0.9m	2.380,00/1.8m	3.380,00/3m

AC Power Cables: 3 Pole Wall Plug to IEC-15amp or IEC-20 amp Connector (Available lengths: 0.9m, 1.8m, 3m, 4.6m, 6.1m) continued

NRG-10	Counter-Spiral HyperLitz, Solid PSC+, 3x13 AWG, Coffee poly/black nylon braid, Cold-Welded connectors, 72V DBS	3.580,00/0.9m	5.180,00/1.8m	7.280,00/3m
NRG-100	Counter-Spiral HyperLitz, Solid PSC+, 3x13 AWG, Coffee poly/ black nylon braid, Cold-Welded Silver-Plated IEC and 3-Pole wall plug. 20 Amp IEC & custom lengths also available. 72V DBS	6.880,00/0.9m	8.480,00/1.8m	10.580,00/3m
NRG Wild	Counter-Spiral HyperLitz, Solid PSS/PSC+, 3x13 AWG, Dark blue poly/dark blue nylon braid, Cold-Welded Palladium over Platinum Plated IEC and 3-Pole wall plug. 20 Amp IEC & custom lengths also available. 72V DBS	14.680,00/0.9m	22.980,00/1.8m	34.380,00/3m
NRG WEL Signature Series	Counter-Spiral HyperLitz, Solid PSS, 3x13 AWG, Black poly/black nylon braid, Cold-Welded Palladium over Platinum Plated IEC & 3-Pole wall plug. 20 Amp IEC & custom lengths also available. 72V DBS	26.780,00/0.9m	45.580,00/1.8m	70.680,00/3m

AC Accessories (90° and IEC3)

IEC-90/1	Female to Right-Angle Male IEC, adaptor bends in direction of 1	center pin	140,00/each
IEC-90/2	Female to Right-Angle Male IEC, adaptor bends in direction of 2	center pin	140,00/each
IEC>3US Power Strip	3 outlets		240,00/each

75-ohm Composite Cables (Available lengths: 1m, 1.5m, 2m, 3m, 4.5m, 6m, 7.5m, 9m, 12m, 15m, 20m)

VDM-A	75Ω Coax, 1.25% Silver, 26 AWG, Hard-Cell Foam, Foil+Tinned braid shield, Black PVC, RCA	135,00/1m	150,00/1.5m	160,00/2m
VDM-X	75Ω Coax, 1.25% Silver, 24 AWG, Hard-Cell Foam, Foil+Silver-Plated braid shield, Multi-color braid, RCA	230,00/1m	265,00/1.5m	300,00/2m
VDM-1	75Ω Coax, 2.5% Silver, 24 AWG, Hard-Cell Foam, Foil+Silver-Plated braid shield, Multi-color braid, RCA	430,00/1m	500,00/1.5m	570,00/2m
VDM-3	75Ω Coax, 6.1% Silver, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated braid shield, Multi-color braid, RCA or BNC, NDS	830,00/1m	960,00/1.5m	1.090,00/2m
VDM-5	75Ω Coax, 100% PSS Silver, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated braid shield, Black/silver braid, RCA or BNC, NDS	1.490,00/1m	1.820,00/1.5m	2.150,00/2m

S-Video Cables (Available lengths: 1m, 1.5m, 2m)

S-A	2 x 75Ω Coax, Solid 1.25% silver, Hard-Cell Foam, Foil+Braid, Black	170,00/1m	200,00/1.5m	230,00/2m
S-G	2 x 75Ω Coax, Solid 1.25% silver, Hard-Cell Foam, Foil+Braid	230,00/1m	280,00/1.5m	330,00/2m

Component Video (Y-Pb-Pr) Cables (Available lengths: 1m, 1.5m, 2m, 3m, 4.5m, 6m, 7.5m, 9m, 12m, 15m, 20m)

YIQ-A	3 x 75Ω Coax, Solid 1.25% silver, 26 AWG, Hard-Cell Foam, Foil+Tinned Braid, Black PVC, RCA	200,00/1m	250,00/1.5m	300,00/2m
YIQ-G	3 x 75Ω Coax, Solid 1.25% silver, 26 AWG, Hard-Cell Foam, Foil+Tinned Braid, Black/blue/red/green braid, RCA	330,00/1m	410,00/1.5m	490,00/2m
YIQ-X	3 x 75Ω Coax, Solid 1.25% silver, 24 AWG, Hard-Cell Foam, Foil+Silver-Plated Braid, Black/red/blue/green braid, RCA	540,00/1m	650,00/1.5m	760,00/2m
YIQ-1	3 x 75Ω Coax, Solid 2.5% silver, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated Braid, Blue/black/red/green braid, RCA or BNC	830,00/1m	990,00/1.5m	1.150,00/2m
YIQ-3	3 x 75Ω Coax, Solid 6.1% silver, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated Braid, Black/red/green/blue braid, RCA or BNC, NDS	1.650,00/1m	1.980,00/1.5m	2.310,00/2m
YIQ-5	3 x 75Ω Coax, Solid 100% PSS, 24 AWG, Hard-Cell Foam, Foil+ Silver-Plated Braid, Black/silver braid, RCA or BNC, NDS	4.290,00/1m	5.280,00/1.5m	6.270,00/2m

GQ-300W	Component Video/Stereo Audio Cable for Nintendo Wii, Solid LGC, 3 x 75Ω Coax, Hard-Cell Foam, Foil+Braid, White PVC	280,00/3m
---------	---	-----------

Accessories

SorboGel Q Feet System	Set of 4 energy absorbing feet with "tray" which improves performance & protects furniture. Each foot supports up to 4 kg.	890,00/set of 4
RCA Noise-Stopper Caps		260,00/set of 10
XLR Output Noise-Stopper Caps		200,00/set of 2
XLR Input Noise-Stopper Caps		200,00/set of 2
PSC BiWire Jumpers	Solid PSC Copper Jumpers replace stamped cheaters supplied with BiWireable speakers. 4 x 4". Direct-Gold Plated or Direct-Silver	160,00/set of 2
PreAmp Jumpers	Solid PSC+ conductors in PE Air Tubes. Replaces factory fitted "U" jumpers on integrated amps & receivers.	200,00/pr
Binding Post Wrench	Quality double-ended nut driver with metal inserts. Fits 7/16" & 1/2" binding posts.	75,00/each
DBS Voltage Upgrade Kit	For use with existing DBS cables only. Kit includes: 2 x 72V DBS packs (inc. batteries), 4 x Velcro bands	995,00/kit

CleanScreen

Single Bottle (200ml./6.75 oz) - Microfiber cleaning cloth included	140,00/each
Single Pen (10ml./0.33 oz) - Microfiber cleaning cloth included	28,00/per pen
Single Bottle (30ml./1 oz) - Microfiber cleaning cloth included	56,00/per bottle

CL3/FT4 Custom Installation Cables on Spools

FLX/DB-16/2	2 x 16 AWG, Semi-Solid Concentric Packing, Off-White PVC, Long-Grain Copper, in-wall & direct burial rated, Sequentially numbered 1-500 ft.	22,00/m /152m spool
FLX/DB-16/4	4 x 16 AWG (2 x 13 AWG), Semi-Solid Concentric Packing, Off-White PVC, Long-Grain Copper, in-wall and direct burial rated, Sequentially numbered 1-500 ft.	35,00/m /152m spool
FLX/DB-16/4+ (16/4+CAT5e)	4 x 16 AWG (2 x 13 AWG), Semi-Solid Concentric Packing, Off-White PVC, Long-Grain Copper, in-wall and direct burial rated, Sequentially numbered 1-500 ft.	56,00/m /152m spool
FLX/DB-14/2	2 x 14 AWG, Semi-Solid Concentric Packing, Off-White PVC, Long-Grain Copper, in-wall and direct burial rated, Sequentially numbered 1-500 ft.	30,00/m /152m spool
FLX/DB-14/4	4 x 14 AWG (2 x 11 AWG), Semi-Solid Concentric Packing, Off-White PVC, in-wall and direct burial rated, Long-Grain Copper, Sequentially numbered 1-500 ft.	52,00/m /152m spool
FLX/SLIP-16/2	Array Geometry, Long-Grain Copper (LGC) strands in Semi-Solid Concentric Packed Conductors, 16 awg x 2, Sequentially numbered 1-500 ft. Easy-strip minimalist outer jacket material reduces installation induced friction, metallic shield material reduces EMI/RFI.	20,00/m /152m spool
FLX/SLIP-16/4	Array Geometry, Long-Grain Copper (LGC) strands in Semi-Solid Concentric Packed Conductors, 16 awg x 4, Sequentially numbered 1-500 ft. Easy-strip minimalist outer jacket material reduces installation induced friction, metallic shield material reduces EMI/RFI.	32,00/m /152m spool
FLX/SLIP-14/2	Array Geometry, Long-Grain Copper (LGC) strands in Semi-Solid Concentric Packed Conductors, 14 awg x 2, Sequentially numbered 1-500 ft. Easy-strip minimalist outer jacket material reduces installation induced friction, metallic shield material reduces EMI/RFI.	28,00/m /152m spool
FLX/SLIP-14/4	Array Geometry, Long-Grain Copper (LGC) strands in Semi-Solid Concentric Packed Conductors, 14 awg x 4, Sequentially numbered 1-500 ft. Easy-strip minimalist outer jacket material reduces installation induced friction, metallic shield material reduces EMI/RFI.	47,00/m /152m spool
FLX/PL-16/2	2 x 16 AWG, Plenum Rated, Semi-Solid Concentric Packing, Candy apple red PVC, Long-Grain Copper, Sequentially numbered 1-500 ft.	28,00/m /152m spool
FLX/PL-16/4	2 x 16 AWG, Plenum Rated, Semi-Solid Concentric Packing, Candy apple red PVC, Long-Grain Copper, Sequentially numbered 1-500 ft.	46,00/m /152m spool
CAT6/600	Long-Grain Copper, 23 AWG, Solid High-Density PE, Jacket colors (white, gray, blue, green, yellow, purple)	10,00/m /305m spool

Uvoz i distribucija za Hrvatsku i BiH:

MEDIA AUDIO d.o.o., Gundulićeva 26a, 21000 SPLIT, tel: 021/323 550, fax: 021/315 220, e-mail: info@mediaaudio.hr, web: www.mediaaudio.hr
 Maloprodaja: "DOBAR ZVUK" SPLIT, Gundulićeva 20, tel/fax 021/380 117 "DOBAR ZVUK" ZAGREB, Preradovićeva 8, tel/fax 01/485 42 97